

Project

Table of Contents


Cover 1
Table of Contents 2
Images3


Site 1

Description 4
Images5
Luminaire layout plan8
Luminaire list 12

Project

Images







Site 1

Description



Site 1

Images





Site 1

Images




Site 1

Images




Site 1

Luminaire layout plan



Site 1

Luminaire layout plan




Manufacturer	Modular Lighting Instruments	P	7.2 W
Article No.	13511180+1351503X	$\Phi_{\text{Luminaire}}$	305 lm
Article name	Tetrix Straight 62 IP55 LED DE 2700K flood black chrome + snoot		
Fitting	1x Tetrix LED 500mA 2700K flood		

Individual luminaires

X	Y	Mounting height	Luminaire
9.369 m	38.849 m	8.750 m	1
9.369 m	38.849 m	5.950 m	2
16.600 m	20.029 m	11.800 m	5
16.600 m	20.028 m	5.900 m	6
16.600 m	20.028 m	8.950 m	7
13.692 m	11.737 m	5.950 m	9
13.692 m	11.737 m	8.950 m	10
13.692 m	11.737 m	11.750 m	11

Site 1

Luminaire layout plan




Manufacturer	Unilamp	P	15.0 W
Article No.	7312-6-4-503-XX	$\Phi_{\text{Luminaire}}$	1510 lm
Article name	Mini Tube-Recess Light Clear Glass		
Fitting	1x LED 12W 2700K 1760 lm		

Individual luminaires

X	Y	Mounting height	Luminaire
8.835 m	38.376 m	3.000 m	3

Site 1

Luminaire layout plan



Manufacturer	WE-EF	P	20.0 W
Article No.	195-9527	$\Phi_{\text{Luminaire}}$	974 lm
Article name	DLS229 IP55:LED-FT-17W/3K		
Fitting	1x LED-FT-17W/830 - 3000K		

Individual luminaires

X	Y	Mounting height	Luminaire
12.921 m	27.357 m	2.392 m	4
16.191 m	19.324 m	2.217 m	8
14.460 m	11.717 m	2.438 m	12

Site 1

Luminaire list

Φ_{total}	P_{total}	Luminous efficacy
6872 lm	132.6 W	51.8 lm/W

pcs.	Manufacturer	Article No.	Article name	P	Φ	Luminous efficacy
8	Modular Lighting Instruments	13511180 +1351503 X	Tetrix Straight 62 IP55 LED DE 2700K flood black chrome + snoot	7.2 W	305 lm	42.4 lm/W
1	Unilamp	7312-6-4-503-XX	Mini Tube-Recess Light Clear Glass	15.0 W	1510 lm	100.7 lm/W
3	WE-EF	195-9527	DLS229 IP55:LED-FT-17W/3K	20.0 W	974 lm	48.7 lm/W