

Date: 22/11/2023 Author: THM/JC Project: THM5927

## **Comments:**

Traffic Management Plan to enable THM with works at Woodgrove in Portlaoise, Co. Laois.

Legend Pedestrian Tape **Works Area** 

## Manifest

19 x Pedestrian Tape

4 x WK 001 Roadworks Ahead

2 x P 010 End

1 x P 003L Direction

1 x P 003R Direction

1 x WK 081 Pedestrians Cross on Right

Note 1: Written dimensions are preferred, do not scale dimensions. All dimensions to be checked before work

All differsions to be checked before work commences and any discrepancies reported. All traffic Management to be carried out in accordance with Chapter 8 of the Traffic Signs Manual in force at time of construction.

Note 2: All signage to be erected outside visibility splays at junctions and site access.

Note 3: Traffic Management will be audited and monitored in order to ensure safety and adequate traffic manouverability. Should changes be required, drawings will be revised accordingly.

Interaction with local residents and

landowners will be carried out by the ma


All lighting requirements within the works area will be the responsibility of the main contractor.

## Table 1.1.1.1: Minimum Design Parameters for Level 1(i) Roads ≤ 30km/h

Design Parameter	Type A > 12 hours	Type B < 12 hours	Type C < 15 mins
Advance Warning Signage			
Sign Size (mm)	450	450	
Sign Visibility (m)	25	25	25
Number of Signs	2	1	-
Cumulative Distance (m)	20	10	1.5
Distance between Advance Warning Signs (m)	10	10	
Taper			
Lane Taper Rate	1 in 1	1 in 1	-
Hard Shoulder Taper Rate			
Cones			
Cone Height (mm)	750	750	
Taper Spacing (m) A	1	1	-
Longitudinal Spacing (m) A	3	3	
Lamps (unlit areas only)			
Taper Spacing (m)	3	3	2
Longitudinal Spacing (m)	6	6	-
Safety Zones			
Longitudinal (m)	0.5	0.5	-
Lateral (m)	0.5	0.5	
Lanes		-	
Lane Width (m) B	2.5	2.5	700
Two-way Roadway Width (m)	5	5	-

 Cone spacing is the maximum permitted. Where geometry or any other site-specific reason dictates, the spacing shall be reduced accordingly.
 The optimum lane width for all classes of vehicles is 3.3m. This may be reduced to a minimum of 3m. Below this, HGVs and buses must be marshalled past the works. The absolute minimum lane width, if only cars and light vehicles are present, is 2.5m. See Section 0.4.3.4.





Works area to moved as necessary with pedestrian signage adjusted as required to enable completion of works

Works to be confined to footpath/verge